

مؤسسة إعمار الإتحاد للتجارة EAMAR ALETTHAD TRADING EST.

CATALOG FOR CONSTRUCTIONS AND DECORATIONS

www.eamar-aletthad.com





مؤسسة إعمار الإتحاد للتجارة EAMAR ALETTHAD TRADING EST.

EAMAR ALETTHAD TRADING EST.

We are promoting and providing our partners with best solutions and options for their projects and business through our group in Saudi Arabia and China.

We are scanning and offering the newest kinds of products in constructions and decorations fields that help our customers easy to find their needs and selecting from several kinds of products.

Prefab houses, caravans, wall panels decorations, doors and building materials ..etc., All this you can find easy with us with several choices, perfect quality and good prices .

EAMAR ALETTHAD YOUR NEXT VISION

OFFICIAL DOCUMENTS

1020184512

رقـم الشهادة : ١٠٢٠١٨٤٥١٢

الرقم المميز: ۳۱۰۸۹۵۷۱۹۱

التاريخ ، ١٤٤٣/٠٩/٠٧ هـ





الختم الرسمي

هذة الوثيــقة مستــخرجة من النــظـام الآلـي ولا تحتــاح إلـى توقيـــع لا يعتد بهذه الشهادة إلا بعد التحقق من موقع الهيئة www.gazt.gov.sa

الممئكة العربية السعودية

الهيئة المامة للزكاة والدخل

General Authority of Zakat & Tax

تشهد الهيئة العامة للزكاة والدخل بأن المكلف / مؤسسة جاد المتميز للتجارة والمقاولات

ائهيئة العامة للزكاة والدخل

General Authority of Zakat & Tax

شهادة

CERTIFICATE

سجل مدني رقم ١٠٢١٦١١٠٩٨ وسجل تجاري رقم ١٠١٠٦٥٠٩٩

قدم إقراره عن الفترة المنتهيه في ١٤٤٣/٠٦/١١هـ

وقد منح هذه الشهاده لتمكينه من إنهاء جميع معاملاته بما في ذلك صرف مستحقاته النهائية عن العقود.

> يسري مفعول هذه الشهادة حتى تاريخ ۲۰۲۱،۱۲٤۱ هـ الموافق ۲۰۲۳٬۰۵۱ م. (الحادى عشر من شوال ألف و أربعمائة و أربعة و أربعون هجرى)

> > الغروع (1) في النموذج المرفق



الختم الرسمي

هذة الوثيـــقة مستــخرجة من النـــظـام الآلـي ولا تحتــاح إلـى توقيـــع لا يعتد بهذه الشهادة إلا بعد التحقق من موقع الهيئة www.gazt.gov.sa

OFFICIAL DOCUMENTS





OFFICIAL DOCUMENTS





2:30

الـديبا دة/ مؤسسة إعمار الإنداد للندارة

نهنئكم بدخول عالم الأعمال التجارية وإصدار سجلكم التجاري، ونتطلع أن يساهم هذا السجل في تحقيق تطلعاتكم، وأن يكتب الله لكم التوفيق والنجاح في عملكم التجاري وأن تكون شريكاً في تعزيز اقتصاد المملكة العربية السعودية.

يسرنا إبلاغكم بأن رقم منشأتكم الموحد هو ٧.١٧٩٤٦٤٦ وقد تم ربطه بالخدمات الحكومية التي. ستحتاجها مستقبلاً، وهي على النحو التالي:

• 3		الرقم;
کر سجلام ا	منشاة	1.1.300719
رقم منشأتكم 🐜 😽 🧩	ة الموارد البشرية والتنمية	1-1100117
تم تسجيل من واصل التجاري	جاناً لمدة سنة في خدمة	TI.IEI9.0FT
ی اور منشاتکم منشاتکم	ئة الزكاة والضريبة والجمارك	F1.070F01V
رقم منشأتكم الاجتماعية	وسسة العامة للتأمينات	1.1111110
🗾 🧖 رقم منشاتكم	رفة التجارية.	934140
الم رئصة "با	رية (في حال اختياركم)	le spec
	ىن الخدمات الممكنة لك في عالم الأعمال ، - نطيبق " توافذ منشآت " بواية دخولك إلم https://www.m	
	0	
ويمكنك فتح حساب	ون الداجة إلى أي أختام لمن	ىنشأتك
فما جمعنا لك كافة الانظمة واللوائح بسهولة mc.gov.sa/trader/guide	طة في دليل التاجر لتمارس عملك ا	- التجاري



السم الدولين للذي مؤسسة إصار الالعاد للتوارة المنوان) ٣٩٦٩، الأمير معدد بن عبدالرحين الفرع، الغالبية، ٢٣١١ الرمز البريدي: ١٢٨٣٤ مادش: ٠٣٣٠٠ - was النداسة الحلاع على بيقلت الشطة فرجاء سبح فرمز التجاري رأس السال ١٠٠٠٠ خسسة و عشرون القب زيق فلغلا لا غير السم المدير أو الوكيل النفوش : عيد بن عبر بن عامر الطيري رقر السجل البناني - الإقلامة - ١٠٩٦٦١١٠٩٨ - داريكه : ١٢٩٨/٠٧/١٣ هـ مصدره : العراق الرياض سلطات المدير يشهد مكتب السول التجاري بمصنة الرياض بأنه دم دستيل هذه الموسسة بسبل مدينة الرياض ودنتهن صادية المهادة في ١٩٢٩-١٩١١ هـ بدويت اليصال رقم ١٨٦٠٢٨١ و تاريخ ١٩٢٠/١٩٢٠ هـ مدير السول الدواري: المدر مناج الماسا 1990 MAR To Verify the information of this cartificate visit, http://www.igne.ta.uk.uk.uk.uk.uk.ak.ak.ak.ak.ak.ak.ak.ak.

MDF DOORS



INTERIOR MDF DOORS

Application:

Installed internal for bathrooms, kitchens, living rooms, shops, commercial buildings, school, hotel, restaurant, hotels ...etc.

DETAILS:

Brand Name: EAMAR ALETTHAD.

Thickness: 35mm to 40mm. Leaf Width:

900mm (Standard), 750mm or according to customers' requirements.

Surface Treatment:

PVC film laminated, coating or according to customers' requirements.

Filling Material:

5 pcs of MDF strips, particle board or honeycomb core.

Model:

No design style, Classic style, American doors style (EMM001).

Technical Regulations:

Doors acceptable with Saudi Saber Technical Regulation for Doors.

Leaf Weight: 18kg~30kg/unit. Leaf Length:

1920mm (Standard), 2000mm or according to customers' requirements.

Surface Materials:

Fir wood skeleton 3cm*2.7cm, PVC laminated film 0.14mm, Mdf sheet 5mm/6mm.

Features:

dustproof, waterproof and good sound insulation with normal or water proof edge.

Package:

foam layer and carton package.

Color:

brown color, oak wooden, warm white and grey.






Door Leaf Structure



5 pcs MDF strips



Particle board



Honeycomb

CATALOG | 9



1



INTERIOR DOOR SERIES









JYG8005

0.0





00

JYG8006

JYG8008



T õ.





JYG8011





JYG8015







JYG8017









JYG8023





JYG8024

JYG8033



JYG8021



JYG8025



JYG8034






JYG8052

JYG8056

JYP9004

:

.









JYP9062 . JYP9066 :

JYP9070

JYP9061




















B type

H4













24 | EAMAR ALETTHAD TRADING EST.



JYE6036



H7



H5



58 Lock



SS hinges



H6





C type

TEXTURE







STEEL DOOR SERIES

STEEL WOODEN DOORS

Application:

Installed internal and external for caravans, Readymade houses, and other projects.



Brand Name: EAMAR ALETTHAD.

Thickness: 43mm Leaf Width: 900mm

Surface Treatment: Color coating surface

Steel Specification:

Pre-painted cold steel sheet, thickness 0.5mm.

Package:

plastic film, foam layer and carton package.

Color:

grey and wooden red, black walnut, pure white.

Technical Regulations:

Doors acceptable with Saudi Saber Technical Regulation for Doors.

STEEL DOOR

The cold rolled steel usually used for doors production. This material is strong and economy. The thickness of the product is 0.5mm, the pattern depth is 13mm, the size is 2000*900mm.

Leaf Weight: 19kg/unit Leaf Length: 2000mm

Main Materials:

Colored steel sheet, internal wood sticks with carton honeycomb paper.

Features:


dustproof, waterproof and good sound insulation.

Model:

2 Modern American styles (EMST).

DESIGN AND COLORS FOR OUR STANDARD DOORS









PRODUCTION PROCESS

You are assured of peace of mind. Make the intention of the product, Is our adherence







PVC PANEL SERIES

LAMINATED PVC PANEL

Mix of calcium powder and pvc with film laminated Beautiful marble and wooden designs with 3D & flate shapes High quality with resistant of water, moisture, bacteria Easy to install, clean and exchange.

Application:

bathroom, kitchen, living room, shop, commercial buildings, Hospital, school, bar, hotel, restaurant for indoor wall &ceiling decoration.







Thickness: 8mm Weight: 3kgs/3.5kgs/4.5kgs/5kgs 6kgs per square meter

Width: Length: 20cm/25cm/40cm/60cm 2.44m/2.90m/3m Surface Type: Flat/Flat V groove/ Wave and groove Surface Treatment: Films laminated on the surface

PVC Resin and calcium carbonate

Application:

Main Materials:

Wall decoration, ceiling decoration and partial decoration.

PVC Content:

40% to 50% PVC Content or customization

Features:

Moisture-proof, mould-proof, waterproof

Package:

PE or PVC shrink or Hard paper carton

Sample:

We can supply free sample, express charge at customer's cost

PVC

Laminated films wall panel Process: Produce the customization mold panel, at the same time and in the same product lines, laminated the customization PVC film designs on the panel surface by hot melt adhesive and laminate machine. Laminated films design advance: Solid color and like real wood, real fabric, real flowers, etc.


TECHNOLOGY DATA

TEST REPORT (TEST REQUIREMENT: QB/T2133-1995, Q/HSJ 01-2005)

NO.	Item	Technical requirements	Results of inspection	Verdict
1	Bending	≤3.0	0.56	Pass
2	Length deviation	Not allowed negative deviation		Pass
3	Dimensional stability after heating %	≤6.0	0.50	Pass
4	Dimensional stability from high and low temperatures $\%$	±0.4	-0.07	Pass
5	Tolerance of acetone	No defect		Pass
6	Strike by drop hammer	0.25kg/0.5m		Pass
7	Tolerance of driving nail	No crack		Pass

Wood Grain Design

Usually the width of our pvc panel is 10cm-60 cm, thickness is 4mm-15mm. There are more than 200 specifications can choose. The ordinary specifications for exporting is width 20cm, thickness: 6-9mm; width 25cm, thickness: 4-9mm; width 30cm, thickness: 6-10mm; width 38cm, thickness: 6-10mm and 595mm × 595mm × 7mm. The surface of panels can be printing, transfer printing, semi-glossy, matt, laminated, colors can be wooden, marble, and more than 3000 article designs, also can be made by customer's requires.







Wood Grain Designs



W-013

W-017

W-021



W-014

W-018

W-022





W-016





W-019





H-050 (Hot Stamping Foils)

H-051 (Hot Stamping Foils)



Printing Design





P-001








P-002

P-004



P-003










P-012



Printing Designs









P-015

P-016




P-017

P-018

P-022

P-019

P-020








P-021





P-024



Printing Designs











P-028





節





P-032

P-036



P-033

P-037





尊

P-038



P-035









Printing Designs







P-044







P-048



P-049

P-053




P-054



P-055



P-052



P-056





H-001



Hot Stamping Foils Designs

H-002













H-003

H-005

H-006

H-007

H-008

H-004





H-010



H-010

H-012

H-013

H-014

H-015


H-016



Hot Stamping Foils Designs

H-029

H-030



H-031

H-032



Hot Stamping Foils Designs



H-033







H-036








H-039



H-041





H-043



H-040 L

H-044



Laminated Designs

TIM

42 | EAMAR ALETTHAD TRADING EST.



Laminated Designs








44 | EAMAR ALETTHAD TRADING EST.

Laminated Designs
















L-023



L-032

L-024



L-028



Laminated Designs










L-036

L-040










L-041





L-047

L-044

L-048

Special Specifications


595×595mm 600×600mm 603×603mm



S-003



S-005



S-007

S-002







NUN

S-004



Special Specifications 595×595mm 600×600mm 603×603mm





S-010

S-014

S-022






S-012



S-015


S-023

S-016



S-017

S-013



S-021





S-020



S-024

Imitation Stone Designs



D-001



D-005



D-009





D-002



D-006



D-010







D-007



D-011









D-008



D-012



D-016

48 | EAMAR ALETTHAD TRADING EST.



D-004




Imitation Stone Designs






EAMAR ALETTHAD TRADING EST.


Marble Designs







D-036




D-039

D-043

D-047






D-041

D-045



D-046





D-044









Marble Designs





B-001

B-005




B-002

B-006



B-004







B-008





B-010


B-011





B-013

52 | EAMAR ALETTHAD TRADING EST.








| EAMAR ALETTHAD TRADING EST.











h



DECORATION

In Eamar we bring to you newest and best international decorations that are designed to your project specifically .. Enjoy your owen life in an environment full of healthy, beauty and inspiration ..

1- UV MARBLE BOARDS




Made of fiber pvc for interior walls

Standard size : 122x244cm

all

bathroom, kitchen, living room, shop, commercial buildings, Hospital, school, bar, hotel, restaurant for indoor wall &ceiling decoration.



2- WPC PANELS

Panels contain a mix of fiber and wood powder for internal roofs and walls Standard size : 16x290cm , 20x290cm

Gathering the advantages of shape and surface of natural woods with the quality of fiber that resiste the bacteria , water and moisture, Quick and easy installing with modern and special designs



3- PS PANELS

Interior wall cladding made of processed ps and pvc material

Standard size : 20x290cm

Beautiful 3d shapes with especial surface. High quality with resistant of water, moisture, bacteria and heat insulation. Light and easy installing with coating as customized.




4- SPC FLOORING

New generation of eco friendly flooring with toughness, shape , soundproof & fireproof

Standard size : 18x122cm , 30x60cm

Unique marble, concrete and wooden colors with matt and gloss surfaces as customized Resistant of water and scratch with anti slip and sound proof lxpe layer Easy cleaning and installing with click system



5- PVC FLOORING

Flexible flooring tiles from pvc and top layer of laminted film

Standard size : 22x122cm , 45x45cm

Varied sizes with designs same as wood, granite and marble as customized Resistant of water, scratch and sound proof, Easy installing, cleaning and low cos





PREFAB HOUSES


EAMAR ALETTHAD through prefab houses department providing best solutions and experience for companies and individuals by offering best qualities and designs

PREFAB HOUSES SPECIFICATIONS



1- THE BASE


Base is a grid of steel Ibeams with size 6cm x 12m and steel tubes with size 4x4cm, thickness 1.2mm that welded together and painted with anti-rust primer.



2- THE GROUND

We are using a good quality of black film faced plywood sheet 18mm or cement boards 18mm according to customer's requirements.

For covering the floor we have many options Vinyl, pvc tiles, SPC or ceramic tiles , that will make customers select what is appropriated with him .



3- EXTERNAL WALL

3


(AF


Manufacturing grid of steel tubes with size 4x4cm insulated with Polystyrene 4cm or fiber glass insulation and covering of ppgi corrugated sheets .

23

4- INTERNAL WALL

We offering many colors and designs of laminated pvc panels 8mm that are compatible with all projects, housing, offices ...etc or painting gypsum boards 12.5mm normal, anti-fire or moisture resistant.







5- ROOF

Structure of steel angle 38x38x2.5mm and steel tubes 40x40mm, insulating with fiber glass 50mm or 25mm as customer's requirements

Covering with ppgi corrugated sheets, cement boards or metal tiles . .

About the internal roof we using wood sticks 5x5cm covering with white plywood, pvc panels or roof tiles .





6- DOORS AND WINDOWS

We are installing steel doors outside with several designs and color according to customer's needs and inside we using Mdf doors laminated with pvc film and for toilets we installing pvc doors, laminated mdf door or Aluminum white doors . About windows it should be white aluminum with glass 8mm and standard size 100x90cm or as customer's requirements .



7- ELECTRICAL AND PLUMBING PARTS

Installing good kinds of electrical wall panel with bricks , led lights and exhausted fans for toilets and kitchens , Suppling good kinds of wires and cables with many thickness according to customer needs.

For plumbing, In Eamar we installing all necessary requirements like bathroom basin, mirror, wash down or Arabic toilet, and for kitchens we installing stainless steel basin with down cabinet. Alsosuppling cold and hot pipes

Finally, all this specifications are just the standard and most project's requirements but any other specifications we can manufacturing according to customer's requirements, Also we guaranteeing all our projects and prefab houses against manufacturing defects .



70 | EAMAR ALETTHAD TRADING EST.









مؤسسة إعمار الإتحاد للتجارة EAMAR ALETTHAD TRADING EST.



Location of our warehouse on google maps



www.eamar-aletthad.com

f y in Ø @eamar_aletthad



Riyadh city, Alsulay, Almashael Industrial zone, Alsahbaa st, Warehouse 2, Kingdom of Saudi Arabia